

9600381

## HHE UNITED SHAYES OF ANTERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

DECEMS, THERE HAS BEEN PRESENTED TO THE

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN ADDUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY TECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'9322'

In Vestimonn Marrers, I have hereunto set my hand and caused the seal of the Plant Pariety Artection Office to be affixed at the City of Washington, D.C. this thirty-first day of Warch, in the year of our Lord two thousand.

An more

Commissioner Plant Variety Protection Office Saricultural Marbotina Society of Agriculture

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION - PLANT VARIETY PROTECTION	1974 (5 U.S.C. 552a).	· · ·			
APPLICATION FOR PLANT VARIETY PROTECTIO (Instructions and Information collection burden states		determine if a plant variety protection 2421). Information is held confidential 2426).			
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME			
Pioneer Hi-Bred International, Inc.			9322		
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and	Country)	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY		
700 Capital Square		515/270-3582	9600381		
' 400 Locust Street		6. FAX (Include area code)			
Des Moines, Iowa 50309		515/253-2288	4 AUGUST 30. 16		
GENUS AND SPECIES NAME	8. FAMILY NAME (Bo	tanical)	FILING AND EXAMINATION FEE:		
Glycine max L.	Lugumin	osae	[ •2450 ºº		
CROP KIND NAME (Common name)			S DATE		
Soybean			B AUGUST 23 1990		
. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGA	NIZATION (corporation, partners	hip, association, etc.) (Common name)	CERTIFICATION FEE:		
Corporation			. 3jo		
. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION	E DATE		
lowa		May 6, 1926	1 7/28/99		
NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	SERVE IN THIS APPLICATION	ON AND RECEIVE ALL PAPERS	(includé area code)		
John Grace	Debra Blair	(Copy)	515/270-3582		
7300 NW 62nd Ave.	Square	4F FAY Cooked are and			
P.O. Box 1004	St.	15. FAX (include area code)			
Johnston, Iowa 50131-1004	Des Moines	, Iowa 50309	515/253-2288		
CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Fo	ollow instructions on reverse	.)			
a. Exhibit A. Origin and Breeding History of the Variety					
b. 😿 Exhibit B. Statement of Distinctness					
c. 🗹 Exhibit C. Objective Description of the Variety					
d. 🗹 Exhibit D. Additional Description of the Variety					
e. Exhibit E. Statement of the Basis of the Applicant's Ownersh	íp				
f. Voucher Sample (2,600 viable untreated seeds or, for tuber p.	ropagated varieties verificati	on that tissue culture will be deposited and m	aintained in a public repository)		
g. Filing and Examination Fee (\$2450), made payable to "Treasu	rer of the United States"	(Mail to PVPO)			
DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOL	D BY VARIETY NAME ONLY,	AS A CLASS OF CERTIFIED SEED (See Section	n 83(a) of the Plant Variety Protection Act)?		
YES If "yes," answer items 18 and 19 below)	Lieu I	io," go to item (20) 19. IF "YES" TO ITEM 18. WHICH CLASSES O	AF BROBUSTON BEVOND ORTEDED OFFI		
DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMI GENERATIONS?	TED AS TO NUMBER OF				
YES NO		FOUNDATION REGISTE			
HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEE  YES (If "yes," give names of countries and dates)  U.S 1996	N RELEASED, USED, OFFER NO	ED FOR SALE, OR MARKETED IN THE U.S. OI	R OTHER COUNTRIES?		
The applicant(s) declare that a viable sample of basic seed of the varie	ty will be furnished with ann	lication and will be replanished upon request	in accordance with such regulations as may		
applicable, or for a tuber propagated variety a tissue culture will be de	posited in a public repositor	y and maintained for the duration of the certifi	cate		
The understoned applicant(s) is/are) the owner(s) of this sexually represent on 41, and is entitled to protection under the provisions of Section			new. distinct. uniform, and stable as requir		
Applicant(s) is(are) informed that false representation herein can jeopa	ardize protection and result i	n penalties.			
NATURE OF APPLICANT (Owner(s))	SIGN	ATURE OF APPLICANT (Owner(s))			
ME (Plefese print or type)	NAM	E (Please print or type)			
D. John Grace III					
PACITY OR TITLE DAT	E / CAPA	CITY OR TITLE	DATE		
Soybean Research Coordinator	120/96				
·	, , ,		l l		

### Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 9322

Variety 9322 evolved from a 1989 cross of DSR304 x AX5263. AX5263 is an experimental line selected for low linolenic acid content. AX5263 was obtained by the cross of AX4692 x Harper87. AX4692 is a low linolenic acid selection from the cross of AX4170 x A84-284033. The low linolenic acid line AX4170, was obtained by the cross of two Iowa State University mutant lines, A5 and FA47437EMS. A5 has 3.5% linolenic acid and FA47437EMS has 4.0% linolenic acid. A84-284033 was abtained by the cross of {(Amsoy/Wayne)/Oak}/{[(Amsoy/Wayne)/Worth]/Weber}.

9322 is an F4-derived variety which was advanced to the F4 generation by modified single seed descent. The F5 progeny of 9322 was grown in first year yield trials in the summer of 1991. Subsequently, 9322 has undergone four years of extensive testing and purification and has been observed by the breeder to be stable for all plant traits from generation to generation. 9322 is uniform for plant traits with the exception of seed coat color. No more than ½ of 1% of the seed may have black seed coats, but is otherwise genetically the same. On the basis of yield and fatty acid composition, variety 9322 was released for sale.

The purification block was grown during summer of 1994; following harvest, 30 pounds of the sublines with the best fatty acid composition were bulked for increase. 1.5 acres of 9322 (breeders seed) were grown in the summer of 1995.

#### Exhibit B. Statement of Distinctness

Soybean Variety 9322

Variety 9322 is most similar to 9321. Both are Maturity Group III varieties with brown pods.

Variety 9322 has white flowers, tawny pubescence, black hila, and a low level of linolenic acid content, whereas 9321 has purple flowers, light tawny pubescence, brown hila, and a normal level of linolenic acid (see Table 1).

Table 1. T-test comparison of 9322 versus 9321 for per cent linolenic acid analysis for 1995.

			9.01 % IIIIOJETIC ACID	2.9 / % IIIOJENIC ACID	25.00	0.017	50.349	6	o.ooooooo signiiicani at <1% level	
	1995 ANALYSIS	Ave 9321 =	Ave 9322 =	d = (Ave X1 - Ave X2) =	SE diff = SORT of	SE diff iii	t = d/SE diff =	df = Proh > t =		
(X1-X2) <sup>2</sup>	41.0	47.6	46.2	42.3	44.9	39.7	34.8	296.5		
X1-X2	6.4	6.9	6.8	6.5	6.7	6.3	5.9	45.5	6.5 =d	risons
322 (X2) enic acid	2.5	2.4	2.5	2.7	2.6	2.3	2.6	17.6	2.5	7 paired comparisons
9321 (X1) 9322 (X2) X1-X2 (X1-X2) <sup>2</sup> per cent linolenic acid	8.9	9.3	9.3	9.2	9.3	8.6	8.5	63.1	9.0	7 pa
REP .	_	-	-	_	_	_	<b>~</b>	SUM	MEAN	II =
10C	004H	013D	901C	038H	299G	801A	807B			
YEAR	1995							1995		

Methods Used in Gathering Data

Plots were four thirty inch rows wide (ten feet) by fifteen feet long. Plots were planted using a randomized complete block design.
 The center two rows of each plot were harvested, and a random subsample of five to ten seeds were crushed and the oil extracted.
 Derivitized oil was analyzed using an HP gas chromatograph.

FORM APPROVED: OMB NO. 0581-0055

# U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE

EXHIBIT C (Soybean)

BELTSVILLE, MARYLAND 20705 **OBJECTIVE DESCRIPTION OF VARIETY** SOYBEAN (Glycine max L.) NAME OF APPLICANT(S) TEMPORARY DESIGNATION VARIETY NAME Pioneer Hi-Bred International, Inc. 9322 ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code) FOR OFFICIAL USE ONLY 7300 N.W. 62nd Ave., P.O. Box 1004 **PVPO NUMBER** 9600381 Johnston, IA 50131-1004 Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero on the first box when number is 9 or less (e.g., 0 | 9 |). Starred characters \*\* are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available. 1. SEED SHAPE: 3 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2) 4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2) ★ 2. SEED COAT COLOR: (Mature Seed) 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other (Specify) 3. SEED COAT LUSTER: (Mature Hand Shelled Seed) 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17') \* 4. SEED SIZE: (Mature Seed) Grams per 100 seeds ★ 5. HILUM COLOR: (Mature Seed) 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other (Specify) ★ 6. COTYLEDON COLOR: (Mature Seed) 1 = Yellow 2 = Green **★** 7. SEED PROTEIN PEROXIDASE ACTIVITY: 1 1 = Low 2 = High ★ 8. SEED PROTEIN ELECTROPHORETIC BAND: 1 = Type A (SP1 a) 2 = Type B (SP1 b) ★ 9. HYPOCOTYL COLOR: 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy') 3 = Light Purple below cotyledons ('Beeson': 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A') ★ 10. LEAFLET SHAPE:

1 = Lanceolate

3 = Ovate

4 = Other (Specify)

2 = Oval

	960038
	Variety Name 9322
11. LEAFLET SIZE:	
	Medium ('Corsoy 79'; 'Gasoy 17')
12. LEAF COLOR:	
2 1 = Light Green ('Weber'; 'York') 2 = 1 3 = Dark Green ('Gnome'; 'Tracy')	Medium Green ('Corsoy 79'; 'Braxton')
★ 13. FLOWER COLOR:	
	Vhite with purple throat
★ 14. POD COLOR:	
2 1 = Tan 2 = Brown 3 = E	Black
★ 15. PLANT PUBESCENCE COLOR:	
2 1 = Gray 2 = Brown (Tawny)	
16. PLANT TYPES:	-
1 = Slender ('Essex'; 'Amsoy 71') 2 = Ir 3 = Bushy ('Gnome'; 'Govan')	ntermediate ('Amcor'; 'Braxton')
★ 17. PLANT HABIT:	T-10-10-10-10-10-10-10-10-10-10-10-10-10-
	= Semi-Determinate ('Will')
3 = Indeterminate ('Nebsoy'; 'Improved Pelical	
18. MATURITY GROUP:	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
9 = VI $10 = VII$ $11 = VIII$ $12 = II$	$X \qquad 13 = X$
★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)
BACTERIAL DISEASES:	
* 0 Bacterial Pustula (Vanthamanas phasasti va	
Bacterial Pustule (Xanthomonas phaseoli va	r. sojensis)
★ 0 Bacterial Blight (Pseudomonas glycinea)	
★ 0 Wildfire (Pseudomonas tabaci)	
FUNGAL DISEASES:	
★ 0 Brown Spot (Septoria glycines)	
Erogovo Loof Sunt. (Correspondential)	
Frogeye Leaf Spot (Cercospora sojina)	
Race 1    Race 2    Race 3	0 Race 4 0 Race 5 Other (Specify)
Target Spot (Corynespora cassiicola)	
Downy Mildew (Peronospora trifoliorum var. n	anshurica)
O Powdery Mildew (Microsphaera diffusa)	

Brown Stem Rot (Cephalosporium gregatum)

FORM LMGS-470-57 (6-83)

Stem Canker (Diaporthe phaseolorum var. caulivora)

Page 2 of 4

19.	19. DISEASES REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)							
	FUNGAL DISEASES: (Continued)							
*	★ O Pod and Stem Blight (Diaporthe phaseolorum var; sojae)							
	Purple Seed Stain (Cercospora kikuchii)							
	0 Rhizoctonia Root Rot	(Rhizoctonia solani)						
	Phytophthora Rot (F	Phytophthora megasperma var. sojae)						
*	1 Race 1 1 Race	e 2 1 Race 3 1 Race 4 1	Race 5 0 Race 6	1 Race 7				
	1 Race 8 1 Race	9 Other (Specify)		<del></del>				
	VIRAL DISEASES:							
	0 Bud Blight (Tobacco	Ringspot Virus)						
	O Yellow Mosaic (Bean	Yellow Mosaic Virus)						
*	O Cowpea Mosaic (Cow	pea Chlorotic Virus)						
	O Pod Mottle (Bean Pod	Mottle Virus)						
★ [	O Seed Mottle (Soybean	Mosaic Virus)						
	NEMATODE DISEASES:							
-	Soybean Cyst Nemato	de (Heterodera glycines)						
*	0 Race 1 0 Race	2 1 Race 3 0 Race 4 0	Other (Specify)					
Ĺ	D Lance Nematode (Hoplolaimus Colombus)							
.*[	★ 0 Southern Root Knot Nematode (Meloidogyne incognita)							
* [	0 Northern Root Knot N	ematode <i>(Meloidogyne Hapla)</i>						
	0 Peanut Root Knot Nen	natode (Meloidogyne arenaria)						
	0 Reniform Nematode (	Rotylenchulus reniformis)						
	0 OTHER DISEASE NOT	ON FORM (Specify)						
20. P	HYSIOLOGICAL RESPON	SES: (ENTER 0 = Not tested, 1 = Suscept	ible, 2 = Resistant)					
* [								
Ī	Other (Specify)							
21. INSECT REACTION: (ENTER 0 = Not tested, 1 = Susceptible, 2 = Resistant)								
_	Mexican Bean Beetle (Epilachna Varivestis)							
Ī	O Potato Leaf Hopper (Empoasca fabae)							
ь <u>.</u> Г	O Other (Specify)							
22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.								
···	CHARACTER	NAME OF VARIETY 9321	CHARACTER Seed Seet Lunter	NAME OF VARIETY 9321				
	lant Shape		Seed Coat Luster	9304				
	eaf Shape	0224	Seed Size					
	eaf Color	9321	Seed shape	9253				
L	eaf Size		Seedling Pigmentation	9304				
				I				

## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.	
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD	·
Submitted 9322	125.5	2.3	89			40.7	23.0	14.3	3	
Name of Similar Variety 9321	124.9	2.0	96			42.1	20.7	13.1	3	

#### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzeli. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19



## Exhibit D. Additional Description of the Variety

#### Soybean Variety 9322

In Exhibit B we identified 9322 as having 2.5% linolenic acid content compared to 9.0% linolenic acid content for variety 9321. The following is a comparison of the major fatty acids for the varieties 9322 and 9321:

	% Fat	ty Acid
Fatty Acid	9322	9321
Palmitic (16:0)	10.9	12.5
Stearic (18:0)	4.4	4.6
Oleic (18:1)	23.7	20.4
Linoleic (18:2)	58.4	53.4
Linolenic (18:3)	2.5	9.0

Values in the table are expressed as percent fatty acid composition in the seed, as determined by gas-liquid chromatography on extracts.

## Exhibit E. Statement of the Basis of Applicant's Ownership

Soybean Variety 9322

Variety 9322 was originated and developed by U.S. plant breeders from whom, by agreement, Pioneer Hi-Bred International, Inc. has obtained exclusive rights to variety 9322. No rights to variety 9322 are retained by the plant breeder or by any other party.